



SHAPING INDUSTRIES WITH
**COPPER &
COPPER ALLOY
EXCELLENCE**
SINCE 1996.

www.navkarmet.com

info@navkarmet.com

COMPANY PROFILE

Established in 1996, Navkar Metal Syndicate is a trusted stockist, supplier, and solution provider for Copper, Brass, Copper Alloys, Copper Nickel, Aluminium, and Stainless Steel products.

With decades of industry experience, we cater to the requirements of HVAC, refrigeration, electrical, marine, engineering, fabrication, power, telecom, infrastructure, and process industries by delivering high-quality materials conforming to international standards.

Our extensive inventory, reliable sourcing network, and commitment to quality enable us to supply a wide range of industrial metals in various sizes, grades, tempers, and specifications with timely delivery and competitive pricing.

At Navkar Metal Syndicate, we believe in building long-term relationships through technical reliability, transparent business practices, and customer-focused service.



MISSION & VISION

To make industrial metal sourcing dependable, efficient, and technically reliable by delivering quality materials, maintaining ready inventory, and ensuring responsive customer support with timely delivery.



To be recognized as a trusted global supplier of Copper, Brass, Copper Alloys, Aluminium, and Stainless Steel products by consistently delivering quality, reliability, and long-term value to industries worldwide.

WHY NAVKAR?

Since 1996, Navkar Metal Syndicate has been a trusted name in the metal industry, known for its wide product range, uncompromised quality, and customer-first approach. We specialize in supplying Copper, Brass, Copper Nickel, Aluminium, Stainless Steel, and Copper Alloys, ensuring that every product meets international standards of durability and performance. Backed by decades of expertise, a strong sourcing network, and a legacy of integrity from our founder **Mr. Jayantilal Revchandji Shah** to the present leadership under **Mr. Vipul Shah**, we are committed to providing reliable materials, competitive pricing, and timely delivery that industries can depend on.



**Since 1996 –
Trusted Industry
Experience. Reliable
Supply for Industrial
& OEM**

COPPER PRODUCTS




COPPER PIPES & TUBES

FORMS: SEAMLESS, PANCAKE COIL, STRAIGHT LENGTH, LEVEL WOUND COIL, CAPILLARY TUBE
SIZE RANGE: OD 4MM TO 180MM | THK 0.2MM TO 10MM
LENGTH: 1M-6M with the option for custom cut-to-length
GRADE: C12200 (DHP), C11000 (ETP), C10200 (OFHC), Cu-DLP



COPPER RODS

SIZE RANGE
OD: 3MM - 180MM
FORMS: ROUND, HEX, SQUARE, RECTANGULAR
LENGTH: 1M-4M with the option for custom cut-to-length
GRADE: C12200 (DHP), C11000 (ETP), C10200 (OFHC), Cu-DLP



COPPER SHEETS & PLATES

FORMS: SHEET, PLATE, COIL CUT SHEET
SIZE RANGE: THK 0.5MM TO 100MM | WIDTH UPTO 1500MM
LENGTH: UPTO 6000MM
SPECIFICATIONS: ASTM B152, EN 1652
GRADE: C12200 (DHP), C11000 (ETP), C10200 (OFHC), Cu-DLP



COPPER BARS & FLATS

FORMS: FLAT BAR, BUS BAR, RECTANGULAR BAR
THICKNESS: 3MM - 50MM
WIDTH: 5MM - 300MM
LENGTH: 1M-6M with the option for custom cut-to-length
GRADE: C12200 (DHP), C11000 (ETP), C10200 (OFHC)



COPPER STRIPS

FORMS: COIL, STRIP, CUT LENGTH
THICKNESS: 0.10MM - 3.00MM
WIDTH: 10MM - 600MM
SPECIFICATIONS: ASTM B152, EN 1652
GRADE: C12200 (DHP), C11000 (ETP), C10200 (OFHC)

COPPER PRODUCTS



COPPER FITTINGS

FORMS: ELBOW, TEE, REDUCER, COUPLING, ADAPTER, END CAP, RETURN BEND
 SIZE: 1/4" TO 4" (6MM TO 108MM)
 THICKNESS: 0.7MM - 2.5MM THK
 SPECIFICATIONS: ASME B16.22, EN 1254, ASTM B88 Compatible
 GRADE: C12200 (DHP), C11000 (ETP)



COPPER WIRES

FORMS: BARE WIRE, ANNEALED WIRE, BUNCHED WIRE, SUPER ENAMELED WIRE
 DIAMETER RANGE : 0.02MM - 8MM
 WIRE GAUGE RANGE: 0 - 25 GAUGE
 SPECIFICATIONS: ASTM B1, ASTM B3, ASTM B33, IEC 60317
 GRADES: ETP COPPER, OFHC COPPER, SILVER BEARING COPPER



COPPER WIRE RODS

SIZE RANGE
 OD: 8MM - 25MM
 FORM: COILED WIRE ROD (STANDARD 2-3 MT)
 CONDUCTIVITY : ≥ 101% IACS
 STANDARD COMPLIANCE :ASTM, EN, IS, JIS
 GRADE: ETP/EC,OFHC,OFC



COPPER PROFILES & SECTIONS

FORMS: Custom Profiles, Extruded Sections, Architectural Sections
 WIDTH RANGE: UPTO 200MM
 THICKNESS: 3MM - 50MM
 LENGTH: 1M-6M with the option for custom cut-to-length
 GRADE: DHP, ETP/EC,DLP, OTHER GRADES ON REQUEST



COPPER BONDED EARTH RODS

FORMS: THREADED EARTH ROD, COUPLED ROD
 DIAMETER: 12 MM, 14.2 MM, 16 MM, 17.2 MM, 20 MM, 25 MM
 THICKNESS: 0.2MM - 10MM
 LENGTH: 1.2M, 1.5M, 2.4M, 3.0M
 CORE: LOW CARBON STEEL WITH 99.9% COPPER BONDING
 COATING : 99.9% PURE COPPER

COPPER PRODUCTS



PHOSPHORIZED COPPER ANODES

SIZE RANGE

FORMS : BALLS, NUGGETS, PLATES/BARS

BALL SIZE: 25MM – 50MM

SPECIFICATIONS: Electroplating Grade

COPPER PURITY: 99.9% MIN | PHOSPHORUS 0.03% – 0.065%



FINNED TUBES

FORMS: L TYPE, LL TYPE, KL TYPE, EMBEDDED, EXTRUDED

SIZE RANGE: BASE TUBE OD 6MM TO 50MM

APPLICATIONS: HEAT EXCHANGERS, HVAC, CONDENSERS, BOILERS

LENGTH: 1M-6M WITH THE OPTION FOR CUSTOM CUT-TO-LENGTH

BRASS PRODUCTS



BRASS PIPES & TUBES

FORMS: ROUND PIPES, SQUARE TUBES, RECTANGULAR TUBES,
SIZE RANGE: OD 3MM TO 150MM | THICKNESS 0.3MM TO 10MM |
LENGTH 1M TO 6M

SPECIFICATIONS: ASTM B135, ASTM B43, EN 12449, IS 407
GRADES: C26000, C27000, C27200, C36000, CZ108, CZ121, IS
319 BRASS



BRASS RODS

FORMS: ROUND, HEXAGONAL, SQUARE, RECTANGULAR, FLATS
SIZE RANGE: DIA 3MM TO 150MM | LENGTH 1M TO 4M | CUSTOM
CUT LENGTH AVAILABLE

SPECIFICATIONS: ASTM B16, EN 12164, EN 12165, IS 319
GRADES: C36000, C37700, CZ121, CZ124, IS 319 GRADE 1, FREE
CUTTING BRASS



BRASS SHEETS & PLATES

FORMS: SHEETS, PLATES, COIL CUT SHEETS, HOT ROLLED PLATES,
COLD ROLLED SHEETS

SIZE RANGE: THK 0.3MM TO 100MM | WIDTH UPTO 1250MM |
LENGTH UPTO 3000MM

SPECIFICATIONS: ASTM B36, EN 1652, IS 410, JIS H3100
GRADES: C26000, C26800, C27200, CZ108, CARTRIDGE BRASS,



BRASS BARS & FLATS

FORMS: FLAT BARS, RECTANGULAR BARS, SQUARE BARS, BUS
BARS, EXTRUDED FLATS

SIZE RANGE: THICKNESS 3MM TO 75MM | WIDTH 10MM TO
300MM | LENGTH 1M TO 6M

SPECIFICATIONS: ASTM B16, EN 12167, EN 12163, IS 319
GRADES: C36000, C37700, CZ121, CZ124, FREE CUTTING BRASS



BRASS STRIPS

FORMS: COIL, STRIP, SLIT COIL, CUT LENGTH

SIZE RANGE: THICKNESS 0.05MM TO 3MM | WIDTH 10MM TO
600MM

SPECIFICATIONS: ASTM B36, EN 1652, IS 410, JIS H3100
GRADES: C26000, C26800, C27200, CZ108, CARTRIDGE BRASS,
COMMERCIAL BRASS

BRASS PRODUCTS



BRASS FOILS

FORMS: FOIL ROLL, COIL, PRECISION FOIL, CUT FOIL STRIPS
 SIZE RANGE: THICKNESS 0.025MM TO 0.20MM | WIDTH 5MM TO 300MM
 SPECIFICATIONS: ASTM B36, EN 1652, JIS H3100
 GRADES: C26000, C26800, CZ108, CARTRIDGE BRASS, COMMERCIAL BRASS



BRASS CIRCLE

FORMS: CIRCLES, DISCS, BLANKS, PRESSED COMPONENTS
 SIZE RANGE: DIAMETER 50MM TO 1000MM | THICKNESS 0.5MM TO 25MM
 SPECIFICATIONS: ASTM B36, EN 1652, IS 410
 GRADES: C26000, C26800, C27200, CZ108, CARTRIDGE BRASS



BRASS FITTINGS

FORMS: COMPRESSION FITTINGS, FLARE FITTINGS, FORGED FITTINGS, THREADED FITTINGS, ELBOWS, TEES, REDUCERS, COUPLINGS, ADAPTERS
 SIZE RANGE: 1/8" TO 4" (3MM TO 108MM)
 THREAD TYPE: BSP, BSPT, NPT, UNF, METRIC THREADS AVAILABLE
 SPECIFICATIONS: ASTM B124, ASME B16.22, EN 1254, IS 319



BRASS PROFILES & SECTIONS

FORMS: ARCHITECTURAL PROFILES, EXTRUDED SECTIONS, HOLLOW SECTIONS, SOLID SECTIONS, CUSTOM PROFILES
 SIZE RANGE: WIDTH UPTO 200MM | THICKNESS 2MM TO 50MM | CUSTOM SHAPES AS PER DRAWING
 PROFILE TYPES: T-SECTIONS, U-CHANNELS, ANGLES, BEADING SECTIONS, DECORATIVE & ENGINEERING PROFILES



BRASS INGOTS & BILLETS

FORMS: ROUND BILLETS, SQUARE BILLETS, HOLLOW BILLETS, CAST INGOTS, EXTRUSION BILLETS
 SIZE RANGE: DIA / WIDTH 50MM TO 300MM | LENGTH UPTO 1000MM
 SPECIFICATIONS: IS 319, IS 410, ASTM B30, CUSTOM ALLOY COMPOSITIONS

COPPER NICKEL PRODUCTS



COPPER NICKEL PIPES & TUBES

FORMS: SEAMLESS TUBES, WELDED TUBES, CONDENSER TUBES, HEAT EXCHANGER TUBES, STRAIGHT LENGTH TUBES

SIZE RANGE: OD 6MM TO 150MM

THICKNESS 0.5MM TO 10MM

LENGTH UPTO 6M

GRADES: C70600 (90/10), C71500 (70/30)



COPPER NICKEL BARS & RODS

FORMS: ROUND BARS, FLAT BARS, HEX BARS, SQUARE BARS, FORGED RODS

SIZE RANGE: DIA 6MM TO 150MM | LENGTH 1M TO 6M | CUSTOM CUT LENGTH AVAILABLE

SPECIFICATIONS: ASTM B151, ASTM B122, ASME SB151, EN 12163

GRADES: C70600 (90/10), C71500 (70/30)



COPPER NICKEL SHEETS & PLATES

FORMS: SHEETS, PLATES, COIL CUT SHEETS, HOT ROLLED PLATES, COLD ROLLED SHEETS

SIZE RANGE: THICKNESS 0.5MM TO 50MM | WIDTH UPTO 1500MM | LENGTH UPTO 6000MM

SPECIFICATIONS: ASTM B122, ASME SB122, EN 1652, ASTM B171

GRADES: C70600 (90/10), C71500 (70/30)



COPPER NICKEL FLANGES & FITTINGS

FORMS: ELBOWS, TEES, REDUCERS, STUB ENDS, SOCKET WELD FITTINGS, WELD NECK FLANGES, SLIP-ON FLANGES, BLIND FLANGES

SIZE RANGE: 1/2" TO 24" | SCH 10 TO SCH XXS | CLASS 150 TO 2500

GRADES: C70600 (90/10), C71500 (70/30)



COPPER NICKEL NUTS & BOLTS

FORMS: HEX BOLTS, STUD BOLTS, HEX NUTS, WASHERS, SOCKET SCREWS, THREADED FASTENERS

SIZE RANGE: M6 TO M64 | LENGTH UPTO 500MM | CUSTOM FASTENERS AVAILABLE

GRADES: C70600 (90/10), C71500 (70/30)

COPPER ALLOY PRODUCTS



BERYLLIUM COPPER

FORMS: RODS, BARS, PLATES, SHEETS, STRIPS, BLOCKS, ELECTRODES, CUSTOM MACHINED COMPONENTS
SIZE RANGE: DIA 3MM TO 150MM | THICKNESS 0.2MM TO 100MM | CUSTOM SIZES AVAILABLE
GRADES: C17200, C17500, C17510, BERYLLIUM COPPER ALLOY



CHROMIUM ZIRCONIUM COPPER

FORMS: RODS, BARS, ELECTRODES, FLATS, BLOCKS, FORGED COMPONENTS
SIZE RANGE: DIA 5MM TO 150MM | THICKNESS 5MM TO 100MM | CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B224, RWMA CLASS II, AMS 4596, EN CW106C



COPPER SILVER

FORMS: RODS, BARS, FLATS, WIRES, ELECTRODES, CONTACT COMPONENTS
SIZE RANGE: DIA 2MM TO 100MM | THICKNESS 0.2MM TO 50MM | CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B188, ASTM B298, AMS STANDARDS, CUSTOM ELECTRICAL GRADES



TELLURIUM COPPER

FORMS: RODS, BARS, FLATS, PLATES, WIRES, MACHINED COMPONENTS
SIZE RANGE: DIA 3MM TO 100MM | THICKNESS 0.5MM TO 50MM | CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B301, ASTM B187, UNS C14500
GRADES: C14500, TELLURIUM COPPER ALLOY



ALUMINIUM BRONZE

FORMS: RODS, BARS, TUBES, BUSHES, PLATES, RINGS, FORGED COMPONENTS
SIZE RANGE: DIA 10MM TO 300MM | THICKNESS 1MM TO 100MM | CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B150, ASTM B171, ASTM B505, EN 1982
GRADES: C63000, C63200, C95400, C95500, AB1, AB2

COPPER ALLOY PRODUCTS



GUNMETAL

FORMS: RODS, BARS, BUSHES, TUBES, CAST COMPONENTS, RINGS, HOLLOW SECTIONS
SIZE RANGE: DIA 10MM TO 300MM | THICKNESS 2MM TO 100MM
| CUSTOM CAST SIZES AVAILABLE
GRADES: LG2, C93200, GUNMETAL BRONZE, SAE 660, PBI GUNMETAL



PHOSPHOR BRONZE

FORMS: RODS, BARS, SHEETS, PLATES, STRIPS, WIRES, BUSHES, BEARINGS
SIZE RANGE: DIA 3MM TO 250MM | THICKNESS 0.1MM TO 100MM | CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B103, ASTM B139, BS 2870, EN 12163, IS 7811



CADMIUM COPPER

FORMS: RODS, BARS, WIRES, ELECTRODES, FLATS, CONDUCTORS
SIZE RANGE: DIA 2MM TO 150MM | THICKNESS 0.5MM TO 50MM
| CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B440, ASTM B188, RWMA STANDARDS
GRADES: CADMIUM COPPER ALLOY, CUCD1, CUCD ALLOY



ARSENICAL COPPER

FORMS: RODS, BARS, FLATS, PLATES, SHEETS, CONDUCTORS, CUSTOM MACHINED COMPONENTS
SIZE RANGE: DIA 3MM TO 150MM | THICKNESS 0.5MM TO 50MM
| CUSTOM SIZES AVAILABLE
GRADES: ARSENICAL COPPER ALLOY, CUAS ALLOY, HIGH CONDUCTIVITY ARSENICAL COPPER



CHROMIUM COPPER

FORMS: RODS, BARS, FLATS, ELECTRODES, PLATES, FORGED COMPONENTS
SIZE RANGE: DIA 5MM TO 150MM | THICKNESS 1MM TO 75MM | CUSTOM SIZES AVAILABLE
SPECIFICATIONS: ASTM B224, RWMA STANDARDS, AMS 4595
GRADES: C18200, CHROMIUM COPPER ALLOY, CUCR ALLOY

COPPER ALLOY PRODUCTS



ZIRCONIUM COPPER

FORMS: RODS, BARS, FLATS, ELECTRODES, PLATES, FORGED COMPONENTS

SIZE RANGE: DIA 5MM TO 150MM | THICKNESS 1MM TO 75MM | CUSTOM SIZES AVAILABLE

SPECIFICATIONS: ASTM B224, RWMA STANDARDS, EN CW120C
GRADES: C15000, ZIRCONIUM COPPER ALLOY, CUZR ALLOY

STAINLESS STEEL PRODUCTS



STAINLESS STEEL PIPES & TUBES

FORMS: SEAMLESS PIPES, WELDED PIPES, ERW TUBES, ROUND TUBES, SQUARE TUBES, RECTANGULAR TUBES
 SIZE RANGE: 1/8" TO 24" | THICKNESS 0.5MM TO 25MM | LENGTH UPTO 6M
 GRADES: 304, 304L, 316, 316L, 310, 321, 410, DUPLEX & SUPER DUPLEX STAINLESS STEEL



STAINLESS STEEL SHEETS & PLATES

FORMS: SHEETS, PLATES, COILS, CHEQUERED PLATES, COIL CUT SHEETS, HR & CR SHEETS
 SIZE RANGE: THICKNESS 0.3MM TO 100MM | WIDTH UPTO 2000MM | LENGTH UPTO 6000MM
 GRADES: 304, 304L, 316, 316L, 310, 321, 410, DUPLEX & SUPER DUPLEX STAINLESS STEEL



STAINLESS STEEL BARS & RODS

FORMS: ROUND BARS, BRIGHT BARS, HEX BARS, SQUARE BARS, FLAT BARS, FORGED BARS
 SIZE RANGE: DIA 3MM TO 300MM | LENGTH 1M TO 6M | CUSTOM CUT LENGTH AVAILABLE
 GRADES: 304, 304L, 316, 316L, 310, 321, 410, 420, DUPLEX & SUPER DUPLEX STAINLESS STEEL



STAINLESS STEEL NUTS & BOLTS

FORMS: HEX BOLTS, STUD BOLTS, HEX NUTS, WASHERS, SOCKET HEAD SCREWS, ANCHOR FASTENERS, THREADED RODS
 SIZE RANGE: M6 TO M64 | LENGTH UPTO 500MM | CUSTOM FASTENERS AVAILABLE
 GRADES: SS304, SS304L, SS316, SS316L, B8, B8M, DUPLEX & SUPER DUPLEX STAINLESS STEEL



STAINLESS STEEL FITTINGS & FLANGES

FORMS: ELBOWS, TEES, REDUCERS, STUB ENDS, PIPE CAPS, WELD NECK FLANGES, SLIP-ON FLANGES, BLIND FLANGES, SOCKET WELD & THREADED FITTINGS
 SIZE RANGE: 1/2" TO 24" | SCH 10 TO SCH XXS | CLASS 150 TO 2500
 GRADES: 304, 304L, 316, 316L, 310, 321, DUPLEX & SUPER DUPLEX

ALUMINIUM PRODUCTS



ALUMINIUM PIPE & TUBES

FORMS: SEAMLESS TUBES, EXTRUDED TUBES, ROUND PIPES, SQUARE TUBES, RECTANGULAR TUBES, HOLLOW SECTIONS
SIZE RANGE: OD 6MM TO 250MM | THICKNESS 0.5MM TO 25MM
| LENGTH UPTO 6M
GRADES: 6061, 6063, 6082, 7075, 5083, 6351 ALUMINIUM ALLOY



ALUMINIUM BARS & RODS

FORMS: ROUND BARS, FLAT BARS, HEX BARS, SQUARE BARS, BRIGHT BARS, EXTRUDED RODS
SIZE RANGE: DIA 5MM TO 300MM | LENGTH 1M TO 6M |
CUSTOM CUT LENGTH AVAILABLE
SPECIFICATIONS: ASTM B221, ASTM B211, EN 755, IS 733, IS 5082
GRADES: 6061, 6063, 6082, 7075, 2014, 2024, 6351 ALUMINIUM



ALUMINUM BILLET

FORMS: ROUND BILLETS, HOLLOW BILLETS, EXTRUSION BILLETS, CAST BILLETS
SIZE RANGE: DIA 50MM TO 500MM | LENGTH UPTO 3000MM
SPECIFICATIONS: ASTM B221, EN 573, IS 733, EXTRUSION GRADE STANDARDS
GRADES: 6061, 6063, 6082, 6351, 2014, 7075 ALUMINIUM ALLOY



ALUMINIUM EXTRUSIONS

FORMS: ANGLES, CHANNELS, T-SECTIONS, HOLLOW SECTIONS, SOLID PROFILES, CUSTOM EXTRUDED SECTIONS
SIZE RANGE: CUSTOM PROFILES UPTO 300MM WIDTH |
THICKNESS 1MM TO 25MM | LENGTH UPTO 6M
SPECIFICATIONS: ASTM B221, EN 755, IS 733, IS 1285
GRADES: 6061, 6063, 6082, 6351, 7075 ALUMINIUM ALLOY



ALUMINIUM COLD ROLLED COILS

FORMS: COLD ROLLED COILS, SLIT COILS, MILL FINISH COILS, CUT-TO-LENGTH SHEETS
SIZE RANGE: THICKNESS 0.20MM TO 3.00MM | WIDTH 20MM TO 1500MM
SPECIFICATIONS: ASTM B209, EN 485, IS 737
GRADES: 1050, 1060, 1100, 3003, 3105, 5052 ALUMINIUM ALLOY

ALUMINIUM PRODUCTS



ALUMINIUM FOILS

FORMS: FOIL ROLLS, COIL FOILS, HOUSEHOLD FOILS, INDUSTRIAL FOILS, CONVERTER FOILS

SIZE RANGE: THICKNESS 0.006MM TO 0.20MM | WIDTH 10MM TO 1500MM

SPECIFICATIONS: ASTM B479, EN 546, IS 737

GRADES: 8011, 1235, 8079, 1145, 3003 ALUMINIUM ALLOY



ALUMINIUM SHEETS & PLATES

FORMS: SHEETS, PLATES, COILS, CHEQUERED PLATES, COIL CUT SHEETS, HOT ROLLED & COLD ROLLED SHEETS

SIZE RANGE: THICKNESS 0.3MM TO 150MM | WIDTH UPTO 2000MM | LENGTH UPTO 6000MM

SPECIFICATIONS: ASTM B209, EN 485, IS 737, IS 19000

GRADES: 1050, 1060, 1100, 2014, 2024, 5052, 5083, 6061, 6082,



ALUMINIUM SECTIONS

FORMS: ANGLES, CHANNELS, T-SECTIONS, U-SECTIONS, HOLLOW SECTIONS, CUSTOM EXTRUDED PROFILES

SIZE RANGE: WIDTH UPTO 300MM | THICKNESS 1MM TO 25MM | LENGTH UPTO 6M

SPECIFICATIONS: ASTM B221, EN 755, IS 733, IS 1285

GRADES: 6061, 6063, 6082, 6351, 7075 ALUMINIUM ALLOY



ALUMINIUM INGOTS

FORMS: PRIMARY INGOTS, ALLOY INGOTS, FOUNDRY INGOTS, CASTING BLOCKS

SIZE RANGE: STANDARD INDUSTRIAL INGOT SIZES | CUSTOM CAST WEIGHTS AVAILABLE

GRADES: ADC12, LM6, LM25, A356, 6061, 6063 ALUMINIUM ALLOY



Quality Materials as per
International Standards
Reliable Supply for Industrial
& OEM Requirements

Contact Us

P : +91 22 6752 1195

P : +91 22 6752 1196

E : info@navkarmet.com

w : www.navkarmet.com

115, KIKA STREET,

GULALWADI, MUMBAI: 400004